

PAK recycling and disposal catalog



Compliance with confidence

We take environmental compliance seriously and continually work to improve our processes to ensure our promise of managing your waste in an environmentally-compliant manner. Our recycling solutions are designed to minimize risk to our staff, your staff, the public and the environment. Our trained technicians adhere to the latest regulations and practices to ensure strict measures of compliance are followed.

This catalog illustrates our latest advancements in delivering innovative prepaid recycling and disposal products designed to save you time and money while keeping you in compliance with today's changing regulations.

We invite you to give our products a try or perform a full risk-management review on us. Inspect our permits, operating procedures and regulatory compliance history. We are confident you will like what you see. That's what we call **Compliance with Confidence®**.

Representatives are standing by **ready to assist you** with your containers.

+1 888 669 9725
pak.ts@veolia.com

We have flexible options that can be adapted to meet your individual needs and requirements.




Table of Contents

Lamp Recycling Containers

SUPPLY-043 MEDIUM 4FT FLUORESCENT LAMP RECYCLING BOX.....	4
SUPPLY-044 MEDIUM 8FT FLUORESCENT LAMP RECYCLING BOX.....	4
SUPPLY-065 LARGE 4FT FLUORESCENT LAMP RECYCLING BOX.....	4
SUPPLY-068 5 GAL MIXED LAMPS RECYCLING PAIL.....	4
SUPPLY-098 SMALL 4FT FLUORESCENT LAMP RECYCLING BOX.....	5
SUPPLY-123 CONSUMER CFL RECYCLING BOX.....	5
SUPPLY-126 2FT MIXED LAMPS RECYCLING BOX.....	5
SUPPLY-144 BULK LAMP RECYCLING KIT.....	5
SUPPLY-190 LARGE 8FT FLUORESCENT LAMP RECYCLING BOX.....	6
SUPPLY-191 LARGE UTUBE, HID RECYCLING BOX.....	6
SUPPLY-192 MEDIUM CFL RECYCLING BOX.....	6
SUPPLY-243 1/2 GAL ATOMIC ABSORPTION LAMP RECYCLING PAIL.....	6
SUPPLY-253 SMALL CFL DROP BOX.....	7
SUPPLY-261 CUBIC YARD MIXED LAMPS RECYCLING BOX.....	7
SUPPLY-276 CRUSHED LAMPS PREPAID RECYCLING STAMP.....	7
SUPPLY-277 4FT LINEAR LAMP PREPAID RECYCLING STAMP.....	7
SUPPLY-278 8FT LINEAR LAMP PREPAID RECYCLING STAMP.....	8

Ballast Recycling Containers

SUPPLY-040 5 GAL LAMP BALLAST RECYCLING PAIL.....	8
SUPPLY-193 6.5 GAL LAMP BALLAST RECYCLING PAIL.....	8
SUPPLY-263 FLEXIBLE 30 GAL BALLAST RECYCLING DRUM.....	8
SUPPLY-328 SMALL NON-PCB BALLAST RECYCLING BOX.....	9

Battery Recycling Containers

SUPPLY-041 3.5 GAL DRY CELL BATTERY RECYCLING PAIL.....	9
SUPPLY-069 1 GAL DRY CELL BATTERY RECYCLING PAIL.....	9
SUPPLY-093 1/2 GAL DRY CELL BATTERY RECYCLING PAIL.....	9
SUPPLY-150 2 GAL SEALED LEAD ACID BATTERY RECYCLING PAIL.....	10
SUPPLY-252 SMALL BATTERY DROP BOX.....	10
SUPPLY-336 3.5 GAL TIRE PRESSURE MONITORING SYSTEM RECYCLING PAIL.....	10

Mercury Recycling Containers

SUPPLY-049 5 GAL UNIVERSAL WASTE MERCURY DEVICE RECYCLING PAIL.....	10
SUPPLY-066 1 GAL UNIVERSAL WASTE MERCURY DEVICE RECYCLING PAIL.....	11

Electronics Recycling Containers

SUPPLY-061 LARGE ELECTRONICS RECYCLING BOX.....	11
SUPPLY-196 SMALL ELECTRONICS RECYCLING BOX.....	11
SUPPLY-197 MEDIUM ELECTRONICS RECYCLING BOX.....	11
SUPPLY-254 SMALL INKJET DROP BOX.....	12
SUPPLY-255 SMALL CELL PHONE DROP BOX.....	12
SUPPLY-260 CUBIC YARD ELECTRONICS RECYCLING BOX.....	12

Dental Waste Recycling Containers

SUPPLY-062 2 GAL DENTAL WASTE RECYCLING KIT.....	12
SUPPLY-063 2 GAL DENTAL FIXER RECYCLING KIT.....	13
SUPPLY-125 5 GAL DENTAL WASTE RECYCLING KIT.....	13
SUPPLY-153 DENTAL X-RAY HEAD RECYCLING KIT.....	13
SUPPLY-338 5 GAL DENTAL SEPARATOR FILTER PAIL.....	13

Medical Waste Containers

SUPPLY-113 1 QUART SHARPS DISPOSAL SYSTEM.....	14
SUPPLY-115 5QTY-1 QUART SHARPS DISPOSAL SYSTEM.....	14
SUPPLY-116 1 GAL SHARPS DISPOSAL SYSTEM.....	14
SUPPLY-117 2QTY-1 GAL SHARPS DISPOSAL SYSTEM.....	14
SUPPLY-118 2 GAL SHARPS DISPOSAL SYSTEM.....	15
SUPPLY-119 2QTY-2 GAL SHARPS DISPOSAL SYSTEM.....	15
SUPPLY-120 3 GAL SHARPS DISPOSAL SYSTEM.....	15
SUPPLY-122 5 GAL MEDICAL WASTE DISPOSAL SYSTEM.....	15
SUPPLY-146 1 GAL MEDICAL WASTE DISPOSAL SYSTEM.....	16
SUPPLY-166 MAILBACK SHARPS MOUNTING BRACKET WITH LOCK.....	16
SUPPLY-167 MAILBACK SHARPS MOUNTING BRACKET WITHOUT LOCK.....	16

Hazardous Materials Disposal Containers

SUPPLY-264 CESQG NON-DEA PHARMACEUTICAL WASTE PAIL.....	16
SUPPLY-309 CESQG COD VIAL RECYCLING PAIL.....	17
SUPPLY-317 MEDIUM LEAD APRON RECYCLING BOX.....	17
SUPPLY-325 CESQG AEROSOL CAN RECYCLING BOX.....	17
SUPPLY-334 TRITIUM EXIT SIGN DISPOSAL PER SIGN.....	17
SUPPLY-339 CESQG SMALL AEROSOL CAN RECYCLING BOX.....	18
SUPPLY-340 CESQG MEDIUM AEROSOL CAN RECYCLING BOX.....	18

Environmental Supplies

SUPPLY-142 5 GAL UN RATED POLY PAIL.....	18
SUPPLY-143 5 GAL 24X30 4 MIL POLY LINER CASE (100 QTY).....	18
SUPPLY-211 1/2 GAL UN RATED POLY PAIL.....	19
SUPPLY-212 1 GAL UN RATED POLY PAIL.....	19
SUPPLY-213 2 GAL UN RATED POLY PAIL.....	19
SUPPLY-224 2 GAL BATTERY ACID SPILL KIT.....	19
SUPPLY-225 2 GAL MERCURY SPILL KIT.....	20
SUPPLY-237 9X9X11 5.5 MIL VAPOR BARRIER LINER CASE (50 QTY).....	20
SUPPLY-244 12.5X8.5X65 5.5 MIL VAPOR BARRIER LINER CASE (50 QTY).....	20
SUPPLY-245 16 OZ MERCURY VAPOR SUPPRESSOR.....	20
SUPPLY-246 MERCURY SPONGE JAR (6 QTY).....	21
SUPPLY-247 26 OZ MERCURY AMALGAMATING ZINC NEEDLES.....	21
SUPPLY-256 3.5 GAL 24X24 4 MIL POLY LINER CASE (100 QTY).....	21
SUPPLY-257 26X22X53 5.5 MIL VAPOR BARRIER LINER CASE (25 QTY).....	21
SUPPLY-258 FLEXIBLE 30 GAL WASTE DRUM.....	22
SUPPLY-262 BULK LAMP RECYCLING BOX.....	22
SUPPLY-273 NON DOT CUBIC YARD BOX.....	22
SUPPLY-280 4FT LAMP RECYCLING BOX.....	22
SUPPLY-281 8FT LAMP RECYCLING BOX.....	23
SUPPLY-282 HID/U-TUBE LAMP RECYCLING BOX.....	23
SUPPLY-327LI 300ML DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING.....	23
SUPPLY-327LM 300ML DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING.....	23
SUPPLY-330LI 650ML DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING.....	24
SUPPLY-330LM 650ML DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING.....	24
SUPPLY-331LI 1300ML DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING.....	24
SUPPLY-331LM 1300ML DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING.....	24
SUPPLY-332LI 2500ML DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING.....	25
SUPPLY-332LM 2500ML DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING.....	25
SUPPLY-333LI 5 GAL DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING.....	25
SUPPLY-333LM 5 GAL DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING.....	25

Point of Purchase Supplies

SUPPLY-151 RECYCLEABULB SIDE LOAD BAGS ON A ROLL (250 QTY).....	26
SUPPLY-156 RECYCLEABULB DISPLAY BOX.....	26
SUPPLY-157 RECYCLEABULB 18X24 POSTER.....	26
SUPPLY-159 RECYCLEABULB 5X7 STICKER.....	26
SUPPLY-160 RECYCLEABULB COUNTER MAT.....	27
SUPPLY-161 RECYCLEABULB COUNTER CARD.....	27
SUPPLY-169 RECYCLEPAK 18X24 POSTER.....	27
SUPPLY-170 RECYCLEPAK 8.5X11 COUNTER CARD.....	27



SUPPLY-043

MEDIUM 4FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 8.5"x8.5"x48"

CAPACITY: 30 T12 or 72 T8 4ft straight lamps or 10 T12 or 20 T8 u-tubes. DO NOT EXCEED the UN rated weight of 34 lbs. when placing 4ft T5 linear lamps or 4ft linear LED lamps into this container.

INCLUDES: UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inside corrugated tube required to be inserted inside liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING¹: 4G/Y15.7/S/XX* USA/+BR9505

CASE QUANTITY: 10



SUPPLY-065

LARGE 4FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 12"x12"x48"

CAPACITY: 68 T12 or 146 T8 4ft straight lamps or 22 T12 or 32 T8 u-tubes. DO NOT EXCEED the UN rated weight of 66 lbs. when placing 4 ft T5 linear lamps or 4ft linear LED lamps into this container.

INCLUDES: UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inside corrugated tube required to be inserted inside liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING¹: 4G/Y30.2/S/XX* USA/+BR9503

CASE QUANTITY: 10



SUPPLY-044

MEDIUM 8FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 6"x6"x96"

CAPACITY: 16 T12 or 39 T8 8ft straight lamps. DO NOT EXCEED the UN rated weight of 35 lbs. when placing 8ft T5 linear lamps or 8ft linear LED lamps into this container.

INCLUDES: UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inside corrugated tube required to be inserted inside liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING¹: 4G/Y16.2/S/XX* USA/+BR9504

CASE QUANTITY: 10



SUPPLY-068

5 GAL MIXED LAMPS RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. or roughly 45-90 small to medium CFLs or LEDs. DO NOT EXCEED the UN rated weight of 55 lbs. when placing lamps into this container.

INCLUDES: UN-rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: 1H2/Y25/S/XX*

CASE QUANTITY: 10



SUPPLY-098

SMALL 4FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 6"x6"x48"

CAPACITY: 16 T12 or 39 T8 4ft straight lamps. DO NOT EXCEED the UN rated weight of 17 lbs. when placing 4ft T5 linear lamps or 4ft linear LED lamps into this container.

INCLUDES: UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inside corrugated tube required to be inserted inside liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y7.9/S/XX* USA/+BR9506

CASE QUANTITY: 10



SUPPLY-126

2FT MIXED LAMPS RECYCLING BOX

DIMENSIONS: 16"x16"x25"

CAPACITY: 22 T12 or 32 T8 u-tubes or 250 small CFLs or misc. HIDs, LEDs or circular lamps. DO NOT EXCEED the UN rated weight of 58 lbs. when placing T5 linear lamps or LED lamps into this container.

INCLUDES: UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inside corrugated tube required to be inserted inside liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y26.5/S/XX* USA/+BR9527

CASE QUANTITY: 10



SUPPLY-123

CONSUMER CFL RECYCLING BOX

DIMENSIONS: 6"x6"x6"

CAPACITY: 6-8 medium CFLs or LEDs or 12 small CFLs.

INCLUDES: Recycling container, 4 mil poly liner, liner tie, tape, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Individually shrink-wrapped. Bilingual- English and Spanish.

RESTRICTIONS: Not for export.

UN RATING: NONE

CASE QUANTITY: 10



SUPPLY-144

BULK LAMP RECYCLING KIT

DIMENSIONS: 40"x48"x51"

CAPACITY: 800 T12 or 1600 T8 4ft straight lamps or 360 400w HIDs or 312 T12 or 480 T8 u-tubes

INCLUDES: Recycling container, pallet base with pallet cups, (4) 4 mil poly liners, (4) liner ties, tape, instructions, terms and conditions, universal waste labels, proof of purchase, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Assembly required. Call toll-free 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: NONE

CASE QUANTITY: 1



SUPPLY-190

LARGE 8FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 8"x8"x96"

CAPACITY: 25 T12 or 57 T8 8ft straight lamps. DO NOT EXCEED the UN rated weight of 61 lbs. when placing 8ft T5 linear lamps or 8ft linear LED lamps into this container.

INCLUDES: UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inside corrugated tube required to be inserted inside liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING¹: 4G/Y27.9/S/XX* USA/+BR9528

CASE QUANTITY: 8



SUPPLY-192

MEDIUM CFL RECYCLING BOX

DIMENSIONS: 15"x15"x15"

CAPACITY: 150 small spiral, 525 2-pin, 265 4-pin CFLs or 125 incandescent or misc. spots, LEDs and floods. DO NOT EXCEED the UN rated weight of 37 lbs. when placing LED lamps into this container.

INCLUDES: UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inside corrugated tube required to be inserted inside liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: 4G/Y17/S/XX* USA/+BR9499

CASE QUANTITY: 10



SUPPLY-191

LARGE UTUBE, HID RECYCLING BOX

DIMENSIONS: 22"x22"x24"

CAPACITY: 46 T12 or 81 T8 u-tubes or 60 400w HID's. DO NOT EXCEED the UN rated weight of 54 lbs. when placing T5 lamps into this container.

INCLUDES: UN-rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inside corrugated tube required to be inserted inside liner. Packaged in corrugated sleeve. Trilingual- English, Spanish and French.

RESTRICTIONS: CFLs and LEDs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING¹: 4G/Y24.8/S/XX* USA/+BR9502

CASE QUANTITY: 8



SUPPLY-243

1/2 GAL ATOMIC ABSORPTION LAMP RECYCLING PAIL

DIMENSIONS: Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 5 atomic absorption lamps.

INCLUDES: UN-rated, DOT approved 1/2 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Thorium and uranium lamps cannot be placed into this container. Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: LEDs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING¹: 1H2/Y4/S/XX*

CASE QUANTITY: 8



SUPPLY-253

SMALL CFL DROP BOX

DIMENSIONS: Outer Display Box: 13"x13"x9"; Inner Collection Box: 11"x11"x7"

CAPACITY: 35 small spiral CFLs.


INCLUDES: Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Limited custom labeling available. Call for customized designs.

RESTRICTIONS: LEDs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: NONE

CASE QUANTITY: 10



SUPPLY-276

CRUSHED LAMPS PREPAID RECYCLING STAMP

DIMENSIONS: 8.5"x11"

CAPACITY: 550 lbs. of crushed linear fluorescent lamps (contained in 55 gal steel drum).

INCLUDES: 8.5"x11" label with adhesive backing, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Packaging not included. Lamps must be contained in DOT approved 55 gal steel drum. Some state restrictions apply. Call 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Not available in AK, CA, CT, HI, ME, MN, MO, NH, PA, PR, RI, VT, or WV. Not for export.

UN RATING: NONE

CASE QUANTITY: 1



SUPPLY-261

CUBIC YARD MIXED LAMPS RECYCLING BOX

DIMENSIONS: 36"x36"x36"

CAPACITY: 2700 CFLs or 525 lbs. of mixed lamps. DO NOT EXCEED 525 lbs. when placing LED lamps into this container.


INCLUDES: Recycling container, (2) corrugated stabilizing inserts, pallet base with pallet cups, 4 mil poly liner, liner tie, instructions, terms and conditions, universal waste label, proof of purchase, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Assembly required. Call toll-free 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

CASE QUANTITY: 1



SUPPLY-277

4FT LINEAR LAMP PREPAID RECYCLING STAMP

DIMENSIONS: 8.5"x11"

CAPACITY: 900 T12 or 1800 T8 4ft linear fluorescent lamps.


INCLUDES: 8.5"x11" label with adhesive backing, instructions, terms and conditions, proof of purchase, universal waste label, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Packaging not included. Lamps must be packaged, stacked on a pallet and shrink-wrapped prior to shipping. Call 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

CASE QUANTITY: 1



SUPPLY-278

8FT LINEAR LAMP PREPAID RECYCLING STAMP

DIMENSIONS: 8.5"x11"

CAPACITY: 900 T12 or 1800 T8 8ft linear fluorescent lamps.

INCLUDES: 8.5"x11" label with adhesive backing, instructions, terms and conditions, proof of purchase, universal waste label, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Packaging not included. Lamps must be packaged, stacked on a pallet and shrink-wrapped prior to shipping. Call 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-193

6.5 GAL LAMP BALLAST RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10"; Height: 18.3"

CAPACITY: 66 lbs. TSCA-exempt PCB and non PCB magnetic and electronic lamp ballast.

INCLUDES: UN-rated, DOT approved 6.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: 1H2/Y30/S/XX*

CASE QUANTITY: 8



SUPPLY-040

5 GAL LAMP BALLAST RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. TSCA-exempt PCB and non PCB magnetic and electronic lamp ballast.

INCLUDES: UN-rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: 1H2/Y25/S/XX*

CASE QUANTITY: 10



SUPPLY-263

FLEXIBLE 30 GAL BALLAST RECYCLING DRUM

DIMENSIONS: 17.5"x17.5"x27"

CAPACITY: 250 lbs. TSCA-exempt PCB and non PCB magnetic and electronic lamp ballast.

INCLUDES: UN-rated, DOT approved flexible drum, 3 mil liner, liner tie, instructions, terms and conditions, proof of purchase, return shipping, recycling and online certificate of acceptance for recycling.

NOTES: Drum must be placed on a pallet prior to shipping. Pallet not included. Call 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: 13H4/Y/08-2011/MEX/BAGCORP/0/116

CASE QUANTITY: 8



SUPPLY-328

SMALL NON-PCB BALLAST RECYCLING BOX

DIMENSIONS: 18"x12"x6"

CAPACITY: 20 lbs. of intact and non-leaking non-PCB ballast and electronic ballast.

INCLUDES: Recycling container, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NA

CASE QUANTITY: 10



SUPPLY-069

1 GAL DRY CELL BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 7.5"; Bottom Dia: 6.625"; Height: 6.9"

CAPACITY: 25 lbs. of dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: UN-rated, DOT approved 1 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y6/S/XX*

CASE QUANTITY: 8



SUPPLY-041

3.5 GAL DRY CELL BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.24"; Height: 10.58"

CAPACITY: 50 lbs. of dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: UN-rated, DOT approved 3.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y19/S/XX*

CASE QUANTITY: 10



SUPPLY-093

1/2 GAL DRY CELL BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 15 lbs. of dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: UN-rated, DOT approved 1/2 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y4/S/XX*

CASE QUANTITY: 8

PAK recycling and disposal catalog 



SUPPLY-150

2 GAL SEALED LEAD ACID BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 10.48"; Bottom Dia: 9.125"; Height: 7.53"

CAPACITY: 35 lbs. of sealed (non-spillable) lead acid batteries.

INCLUDES: UN-rated, DOT approved 2 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Do not include any batteries other than sealed lead acid batteries which have been marked by the manufacturer as "non-spillable". Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: 1H2/Y12/S/XX*

CASE QUANTITY: 8



SUPPLY-336

3.5 GAL TIRE PRESSURE MONITORING SYSTEM RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.24"; Height: 10.58"

CAPACITY: Approx. 135-150 sensors or 15 lbs. of TPMS sensors.

INCLUDES: UN-rated, DOT approved 3.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Do not place loose batteries or broken TPMS Sensors into this kit. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: 1H2/Y19/S/XX*

CASE QUANTITY: 10



SUPPLY-252

SMALL BATTERY DROP BOX

DIMENSIONS: Outer Display Box: 13"x13"x9"; Inner Collection Box: 11"x11"x7"

CAPACITY: 45 lbs. dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: Corrugated display box with internal collection box, tape dispenser with refills, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Limited custom labeling available. Call for customized designs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 10



SUPPLY-049

5 GAL UNIVERSAL WASTE MERCURY DEVICE RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. of intact mercury devices, including but not limited to thermostats, thermometers, blood pressure gauges, relays and switches.

INCLUDES: UN-rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury in intact devices inside container. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Thermostats only in WY. Not for export.

UN RATING¹: 1H2/Y25/S/XX*

CASE QUANTITY: 10

MERCURY DEVICE
RECYCLING



SUPPLY-066

1 GAL UNIVERSAL WASTE MERCURY DEVICE RECYCLING PAIL

DIMENSIONS: Top Dia: 7.50"; Bottom Dia: 6.625"; Height: 6.9"

CAPACITY: 13 lbs. of intact mercury devices, including but not limited to thermostats, thermometers, blood pressure gauges, relays and switches.

INCLUDES: UN-rated, DOT approved 1 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury in intact devices inside container. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Thermostats only in WY. Not for export.

UN RATING¹: 1H2/Y6/S/XX*

CASE QUANTITY: 8

ELECTRONICS
RECYCLING



SUPPLY-196

SMALL ELECTRONICS RECYCLING BOX

DIMENSIONS: 18"x12"x6"

CAPACITY: 20 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.

INCLUDES: Recycling container, 4 mil liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Individually shrink-wrapped. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 10

ELECTRONICS
RECYCLING



SUPPLY-061

LARGE ELECTRONICS RECYCLING BOX

DIMENSIONS: 22"x22"x22"

CAPACITY: 70 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.

INCLUDES: Recycling container, 5.5 mil vapor barrier liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Packaged in corrugated sleeve. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 10

ELECTRONICS
RECYCLING



SUPPLY-197

MEDIUM ELECTRONICS RECYCLING BOX

DIMENSIONS: 18"x18"x12"

CAPACITY: 50 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.

INCLUDES: Recycling container, 4 mil liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Individually shrink-wrapped. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 10



SUPPLY-254

SMALL INKJET DROP BOX

DIMENSIONS: Outer Display Box: 13"x13"x9"; Inner Collection Box: 11"x11"x7"

CAPACITY: 30-45 inkjet cartridges or roughly 10 lbs.

INCLUDES: Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Limited custom labeling available. Call for customized designs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 10



SUPPLY-260

CUBIC YARD ELECTRONICS RECYCLING BOX

DIMENSIONS: 36"x36"x36"

CAPACITY: 450 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.

INCLUDES: Recycling container, (2) corrugated stabilizing inserts, pallet base with pallet cups, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Assembly required. Call toll-free 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-255

SMALL CELL PHONE DROP BOX

DIMENSIONS: Outer Display Box: 13"x13"x9"; Inner Collection Box: 11"x11"x7"

CAPACITY: 110 cell phones.

INCLUDES: Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Limited custom labeling available. Call for customized designs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 10



SUPPLY-062

2 GAL DENTAL WASTE RECYCLING KIT

DIMENSIONS: 2 Gal-Top Dia: 10.48"; Bottom Dia: 9.125"; Height: 7.53"; 1/2 Gal - Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 2 lbs. of dental amalgam and 24 lbs. of other dental waste including separator filters, traps and lead foil. Wet amalgam waste must be placed inside the 1/2 gal inner pail.

INCLUDES: UN-rated, DOT approved 2 gal & 1/2 gal containers with locking lids, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury inside container. Shipping box required for return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Not available in AK, HI, PR, VI, AR, or RI. Not for export.

UN RATING¹: 2 GAL - 1H2/Y12/S/XX* 1/2 GAL PAIL - 1H2/Y4/S/XX*

CASE QUANTITY: 8



SUPPLY-063

2 GAL DENTAL FIXER RECYCLING KIT

DIMENSIONS: Top Dia: 10.48"; Bottom Dia: 9.125"; Height: 7.53"

CAPACITY: 1 gal of dental fixer solution.

INCLUDES: UN-rated, DOT approved 2 gal container with locking lid, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury inside container. A Material Safety Data Sheet (MSDS) for the fixer solution is required to be sent prior to shipping. Fixer solutions must be contained within a leak-proof container prior to being placed into the 2 gal pail. Shipping box required for return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Not available in AK, HI, PR, VI, AR, or RI. Not for export.

UN RATING: 1H2/Y12/S/XX*

CASE QUANTITY: 8



SUPPLY-153

DENTAL X-RAY HEAD RECYCLING KIT

DIMENSIONS: 24"x12"x12"

CAPACITY: One dental x-ray head with a maximum size of 24"x12"x12" and weighing no more than 50 lbs.

INCLUDES: Recycling container, 5.5 mil vapor barrier liner, liner tie, instructions, terms and conditions, proof of purchase, generator certification form, prepaid return shipping with label, recycling and online certificates of acceptance for recycling.

NOTES: This kit is for dental x-ray head units manufactured after 1982.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

CASE QUANTITY: 1



SUPPLY-125

5 GAL DENTAL WASTE RECYCLING KIT

DIMENSIONS: 5 Gal-Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"; 1/2 Gal-Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 2 lbs. of dental amalgam and 53 lbs. of other dental waste including separator filters, traps and lead foil. Wet amalgam waste must be placed inside the 1/2 gal inner pail.

INCLUDES: UN-rated, DOT approved 5 gal & 1/2 gal containers with locking lids, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury inside container. Bilingual-English and Spanish.

RESTRICTIONS: Not available in AK, HI, PR, VI, AR, or RI. Not for export.

UN RATING: 5 GAL PAIL - 1H2/Y25/S/XX* 1/2 GAL PAIL - 1H2/Y4/S/XX*

CASE QUANTITY: 1



SUPPLY-338

5 GAL DENTAL SEPARATOR FILTER PAIL

DIMENSIONS: Top Diameter: 11.45", Bottom Diameter: 10.15", Height: 14.09"

CAPACITY: 19 lbs. of vacuum pump filters, chair side trap waste and amalgam separators.

INCLUDES: UN-rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, instructions, terms and conditions, proof of purchase, generator certification form, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury inside container. Bilingual-English and Spanish.

RESTRICTIONS: Not available in AK, HI, PR, VI, AR, or RI. Not for export.

UN RATING: 3H2/Y40/S/XX*

CASE QUANTITY: 1



SUPPLY-113

1 QUART SHARPS DISPOSAL SYSTEM

DIMENSIONS: 3.75"x3.5"x8"

CAPACITY: Container holds up to 42 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 3 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1



SUPPLY-116

1 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: 9"x5.5"x8.5"

CAPACITY: Container holds up to 98 3cc syringes.


INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 6 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1



SUPPLY-115

5QTY-1 QUART SHARPS DISPOSAL SYSTEM

DIMENSIONS: (5) 3.75"x3.5"x8"

CAPACITY: Each container holds up to 42 3cc syringes.


INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: All (5) items must be shipped in the same return shipping box via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 10 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1



SUPPLY-117

2QTY-1 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: (2) 9"x5.5"x8.5"

CAPACITY: Each container holds up to 98 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: All (2) items must be shipped in the same return shipping box via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 10 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1



SUPPLY-118

2 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: 9"x5.5"x14.25"

CAPACITY: Container holds up to 245 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 10 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1

SUPPLY-120

3 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: 9"x5.5"x19.75"

CAPACITY: Container holds up to 358 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 13 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1



SUPPLY-119

2QTY-2 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: (2) 9"x5.5"x14.25"

CAPACITY: Each container holds up to 245 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: All (2) items must be shipped in the same return shipping box via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 18 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1

SUPPLY-122

5 GAL MEDICAL WASTE DISPOSAL SYSTEM

DIMENSIONS: Top Dia: 14.00"; Height: 14.51"

CAPACITY: 25 lbs. of regulated medical waste.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Intended for non-liquid regulated medical waste only. Sharps must be in puncture resistant container before being placed into container. Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 25 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1



SUPPLY-146

1 GAL MEDICAL WASTE DISPOSAL SYSTEM

DIMENSIONS: Top Dia: 8.375"; Height: 8"

CAPACITY: 6 lbs. of regulated medical waste.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Intended for non-liquid regulated medical waste only. Sharps must be in puncture resistant container before being placed into container. Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 6 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: UN3291

CASE QUANTITY: 1

SUPPLY-167

MAILBACK SHARPS MOUNTING BRACKET WITHOUT LOCK

DIMENSIONS: 5.5"x5"x4.25"

CAPACITY: Fits 1 QT, 1, 2, & 3 gal sharps disposal systems.

INCLUDES: Coated metal wall mount bracket without lock.

NOTES:

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-166

MAILBACK SHARPS MOUNTING BRACKET WITH LOCK

DIMENSIONS: 5.5"x5"x4.25"

CAPACITY: Fits 1 QT, 1, 2, & 3 gal sharps disposal systems.

INCLUDES: Coated metal wall mount bracket with lock.

NOTES:

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-264

CESQG NON-DEA PHARMACEUTICAL WASTE PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 50 lbs. of Non-DEA pharmaceutical waste.

INCLUDES: UN-rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by conditionally exempt small quantity generators (CESQG). Aggregate limit of 2.2 lbs. of an acutely toxic hazardous waste as defined in 40 CFR 261.33.

RESTRICTIONS: Not available in AK, AR, CA, CT, HI, MA, ME, MN, NH, NY, PA, PR, RI, VA or VT. Not for export.

UN RATING¹: 1H2/Y25/S/XX*

CASE QUANTITY: 1



SUPPLY-309

CESQG COD VIAL RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 50 lbs. of spent mercuric based COD vials or approximately 400 16mm vials or 650 13mm vials.

INCLUDES: UN-rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Some restrictions apply. Must be placed into shipping box prior to return shipping.

RESTRICTIONS: Not available in AK, AR, CA, HI, IL, MA, ME, MI, MN, NH, PR or RI. Not for export.

UN RATING: 1H2/Y25/S/XX*

CASE QUANTITY: 1



SUPPLY-325

CESQG LARGE AEROSOL RECYCLING BOX

DIMENSIONS: 15"x15"x15"

CAPACITY: Up to 40 used undamaged aerosol cans. Maximum return weight – 20 lbs.

INCLUDES: ReturnPak box, 5.5 mil vapor barrier liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Qualifying aerosols are defined as any non-refillable receptacle (can) containing a gas, the sole purpose of which is to expel a nonpoisonous liquid, paste, or powder, and fitted with a self-closing release device (nozzle). Aerosol cans must be undamaged and less than 1 liter and less than 10" in height. Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by conditionally exempt small quantity generators (CESQG).

RESTRICTIONS: Not available in AK, AR, CT, HI, MA, ME, MN, NH, NY, RI, VA, VT and PR. Not for export.



SUPPLY-317

MEDIUM LEAD APRON RECYCLING BOX

DIMENSIONS: 12"x12"x9"

CAPACITY: Up to 50 lbs. of adult size lead aprons.

INCLUDES: Corrugated recycling container, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES:

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

CASE QUANTITY: 10



SUPPLY-334

TRITIUM EXIT SIGN DISPOSAL PER SIGN

DIMENSIONS: Packaging dimensions dependent upon number of signs.

CAPACITY: Capacity varies.

INCLUDES: ReturnPak box that meets the general package design requirements of 49 CFR 173.410 with attached return shipping label and UN2911 DOT label, bubble wrap, instructions, terms and conditions, a notification letter addressed to the appropriate state regulatory agency and a notification letter addressed to the US Nuclear Regulatory Commission (NRC), copies of completed tritium exit sign inventory form for your records and to send to the state and federal agencies.

NOTES: To properly dispose of a tritium exit sign, general licensees are required to transfer the sign to a specific licensee. The general licensee must file a report to the NRC and Agreement State within 30 days of disposal. The tritium exit sign kit supplies you will the proper packaging and paperwork to assist you with the proper disposal of your exit signs. Once your order is placed, Veolia will send you an informational packet that must be completed, signed and returned before your order is processed.

PAK recycling and disposal catalog 



SUPPLY-339

CESQG SMALL AEROSOL RECYCLING BOX

DIMENSIONS: 9"x6"x10.25"

CAPACITY: Up to 6 used undamaged aerosol cans. Maximum return weight – 3 lbs.

INCLUDES: Corrugated box, 4 mil liner, liner tie, 12x12 absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Qualifying aerosols are defined as any non-refillable receptacle (can) containing a gas, the sole purpose of which is to expel a nonpoisonous liquid, paste, or powder, and fitted with a self-closing release device (nozzle). Aerosol cans must be undamaged and less than 1 liter and less than 10" in height. Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by conditionally exempt small quantity generators (CESQG).

RESTRICTIONS: Not available in AK, AR, CT, HI, MA, ME, MN, NH, NY, RI, VA, VT and PR. Not for export.



SUPPLY-142

5 GAL UN RATED POLY PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. of waste materials.

INCLUDES: UN-rated, DOT approved 5 gal pail with locking lid. DOT closure instructions included.

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING¹: 1H2/Y25/S/XX*

CASE QUANTITY: 10



SUPPLY-340

CESQG MEDIUM AEROSOL RECYCLING BOX

DIMENSIONS: 12.25"x9"x10.25"

CAPACITY: Up to 12 used undamaged aerosol cans. Maximum return weight – 6 lbs.

INCLUDES: Corrugated box, 4 mil liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Qualifying aerosols are defined as any non-refillable receptacle (can) containing a gas, the sole purpose of which is to expel a nonpoisonous liquid, paste, or powder, and fitted with a self-closing release device (nozzle). Aerosol cans must be undamaged and less than 1 liter and less than 10" in height. Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by conditionally exempt small quantity generators (CESQG).

RESTRICTIONS: Not available in AK, AR, CT, HI, MA, ME, MN, NH, NY, RI, VA, VT and PR. Not for export.



SUPPLY-143

5 GAL 24X30 4 MIL POLY LINER CASE (100 QTY)

DIMENSIONS: 24"x30"

CAPACITY: Used to line 5 gal pails.

INCLUDES: Box of 100 (4 mil) individual poly liners.

NOTES: POR on roll.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1

ENVIRONMENTAL
SUPPLIES



SUPPLY-211

1/2 GAL UN RATED POLY PAIL

DIMENSIONS: Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 9 lbs. of waste materials.

INCLUDES: UN-rated, DOT approved 1/2 gal pail with locking lid. DOT closure instructions included.

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING¹: 1H2/Y4/S/XX*

CASE QUANTITY: 10

ENVIRONMENTAL
SUPPLIES



SUPPLY-213

2 GAL UN RATED POLY PAIL

DIMENSIONS: Top Dia: 10.48"; Bottom Dia: 9.125"; Height: 7.53"

CAPACITY: 26 lbs. of waste materials.

INCLUDES: UN-rated, DOT approved 2 gal pail with locking lid. DOT closure instructions included.

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING¹: 1H2/Y12/S/XX*

CASE QUANTITY: 10

ENVIRONMENTAL
SUPPLIES



SUPPLY-212

1 GAL UN RATED POLY PAIL

DIMENSIONS: Top Dia: 7.5"; Bottom Dia: 6.625"; Height: 6.9"

CAPACITY: 13 lbs. of waste materials.

INCLUDES: UN-rated, DOT approved 1 gal pail with locking lid. DOT closure instructions included.

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING¹: 1H2/Y6/S/XX*

CASE QUANTITY: 10

ENVIRONMENTAL
SUPPLIES



SUPPLY-224

2 GAL BATTERY ACID SPILL KIT

DIMENSIONS: Top Dia: 10.48"; Height: 9.17"

CAPACITY: 26 lbs. of battery acid contaminated waste.

INCLUDES: UN-rated, DOT approved 2.5 gal container with locking lid, 4 mil poly liner, liner tie, protective splash goggles, nitrile gloves, poly apron, liquid acid neutralizer with trigger sprayer, liquid locking polymer, absorbent hazmat pads, plastic scoop with detachable scraper, MSDS document, instructions.

NOTES: High density plastic with vapor tight lid. No disposal or return shipping included. Complies with OSHA 1910.178(g)(2).

RESTRICTIONS: Not for export.

UN RATING¹: 1H2/Y19/S/XX*

CASE QUANTITY: 8

ENVIRONMENTAL
SUPPLIES



SUPPLY-225

2 GAL MERCURY SPILL KIT

DIMENSIONS: Top Dia: 10.48"; Height: 9.17"

CAPACITY: 26 lbs. of mercury contaminated waste.

INCLUDES: UN-rated, DOT approved 2.5 gal container with locking lid, 4 mil poly liner, liner tie, protective glasses, nitrile gloves, granular zinc, mercury indicator powder, mercury vapor suppressor, plastic scoop with detachable scrapper, zinc infused sponges, MSDS document, instructions.

NOTES: High density plastic with vapor tight lid. No disposal or return shipping included. Use to cleanup mercury spills of 25ml or less.

RESTRICTIONS: Not for export.

UN RATING¹: 1H2/Y19/S/XX*

CASE QUANTITY: 8

ENVIRONMENTAL
SUPPLIES



SUPPLY-244

12.5X8.5X65 5.5 MIL VAPOR BARRIER LINER CASE (50 QTY)

DIMENSIONS: 12.5"x8.5"x65"

CAPACITY: Used to line 4ft lamp boxes.

INCLUDES: Roll of 50 (5.5 mil) vapor barrier liners.

NOTES: Coextruded blend of poly and barrier film. Used to contain mercury vapor during storage and transportation.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1

ENVIRONMENTAL
SUPPLIES



SUPPLY-237

9X9X111 5.5 MIL VAPOR BARRIER LINER CASE (50 QTY)

DIMENSIONS: 9"x9"x111"

CAPACITY: Used to line 8ft lamp boxes.

INCLUDES: Roll of 50 (5.5 mil) vapor barrier liners.

NOTES: Coextruded blend of poly and barrier film. Used to contain mercury vapor during storage and transportation.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1

ENVIRONMENTAL
SUPPLIES



SUPPLY-245

16 OZ MERCURY VAPOR SUPPRESSOR

DIMENSIONS: Dia: 3.5"; Height: 6.625"

CAPACITY: Used to absorb hazardous mercury vapors.

INCLUDES: HDPE bottle of carbon pellets with dual sided shaker lid.

NOTES: Replacement component for Supply-225.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 10

ENVIRONMENTAL
SUPPLIES



SUPPLY-246

MERCURY SPONGE JAR (6 QTY)

DIMENSIONS: 2.5"x1" Round

CAPACITY: Used to cleanup and absorb mercury droplets.

INCLUDES: Round sponge coated with granular zinc inside 2 oz. plastic jar with lid.

NOTES: Replacement component for Supply-225.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 4

ENVIRONMENTAL
SUPPLIES



SUPPLY-256

3.5 GAL 24X24 4 MIL POLY LINER CASE (100 QTY)

DIMENSIONS: 24"x24"

CAPACITY: Used to line 3.5 gal pails.

INCLUDES: Box of 100 (4 mil) individual poly liners.

NOTES: POR on roll

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1

ENVIRONMENTAL
SUPPLIES



SUPPLY-247

26 OZ MERCURY AMALGAMATING ZINC NEEDLES

DIMENSIONS: Dia: 2.125"; Height: 4.625"

CAPACITY: Used to cleanup and absorb mercury droplets.

INCLUDES: Plastic bottle of granular zinc needles with dual sided shaker lid.

NOTES: Replacement component for Supply-225.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 8

ENVIRONMENTAL
SUPPLIES



SUPPLY-257

26X22X53 5.5 MIL VAPOR BARRIER LINER CASE (25 QTY)

DIMENSIONS: 26"x22"x53"

CAPACITY: Used to line u-tube/HID boxes.

INCLUDES: Roll of 25 (5.5 mil) vapor barrier liners.

NOTES: Coextruded blend of poly and barrier film. Used to contain mercury vapor during storage and transportation.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-258

FLEXIBLE 30 GAL WASTE DRUM

DIMENSIONS: 17.5"x17.5"x27"

CAPACITY: 250 lbs. of waste materials.

INCLUDES: UN-rated, DOT approved recycling container, 3 mil lldpe liner, liner closure, instructions and proof of purchase.

NOTES: Must be placed on a pallet prior to shipping. No disposal or return shipping included. Bilingual- English and Spanish.

RESTRICTIONS: Not for export.

UN RATING¹: 13H4/Y/08-2011/MEX/BAGCORP/0/116

CASE QUANTITY: 1



SUPPLY-273

NON DOT CUBIC YARD BOX

DIMENSIONS: 36"x36"x36"

CAPACITY: Intact fluorescent and HID lamps up to 450 lbs. The Non DOT Cubic Yard box is not authorized for materials that require a UN – DOT approved shipping container.

INCLUDES: Corrugated recycling container, instructions, terms and conditions, universal waste label.

NOTES:

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-262

BULK LAMP RECYCLING BOX

DIMENSIONS: 40"x48"x50"

CAPACITY: 800 T12 or 1600 T8 straight lamps or 360 400w HIDS or 312 T12 or 480 T8 u-tubes.

INCLUDES: Corrugated recycling container, universal waste label, instructions, terms and conditions.

NOTES: No disposal or return shipping included. Container must be placed on pallet prior to shipping. Pallet for shipping not included.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-280

4FT LAMP RECYCLING BOX

DIMENSIONS: 8.5"x8.5"x48"

CAPACITY: 30 T12 or 60 T8 4ft straight lamps or 10 T12 or 20 T8 u-tubes.

INCLUDES: Printed corrugated recycling container with universal waste labeling.

NOTES: No disposal or return shipping included. Container must be placed on pallet prior to shipping. Pallet for shipping not included. Alternative SKU: Supply-002.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 10

ENVIRONMENTAL
SUPPLIES



SUPPLY-281

8FT LAMP RECYCLING BOX

DIMENSIONS: 8"x8"x96"

CAPACITY: 25 T12 or 57 T8 8ft straight lamps.

INCLUDES: Printed corrugated recycling container with universal waste labeling.

NOTES: No disposal or return shipping included. Container must be placed on pallet prior to shipping. Pallet for shipping not included. Alternative SKU: Supply-003.

RESTRICTIONS: Not for export.

UN RATING: NONE

CASE QUANTITY: 10

ENVIRONMENTAL
SUPPLIES



SUPPLY-327LI

300ML DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING

DIMENSIONS: Opening Diameter: 3.811", Container Diameter: 3.897", Height with Lid: 2.181"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Ion Battery with a maximum square battery size of 2.25" L x 2.25" W x 1.25" H. Certified for .4kg (.88 lb.) gross package weight.

INCLUDES: (1) 300ml UN rated poly drum with lid, (1) Class 9 Hazard label tag to be attached to lid, (1) Anti-stat zipper bag, (1) Pre-portioned bag of vermiculite and (1) UN shipping label stating: UN3480, LITHIUM ION BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM ION BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING: NONE

CASE QUANTITY: 20

ENVIRONMENTAL
SUPPLIES



SUPPLY-282

HID/U-TUBE LAMP RECYCLING BOX

DIMENSIONS: 22"x22"x24"

CAPACITY: 46 T12 or 81 T8 u-tubes or 60 400w HIDS or Misc CFLs.

INCLUDES: Printed corrugated recycling container with universal waste labeling.

NOTES: No disposal or return shipping included. Container must be placed on pallet prior to shipping. Pallet for shipping not included. Alternative SKU: Supply-005.

RESTRICTIONS: Not for export.

UN RATING: NONE

CASE QUANTITY: 10

ENVIRONMENTAL
SUPPLIES



SUPPLY-327LM

300ML DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING

DIMENSIONS: Opening Diameter: 3.811", Container Diameter: 3.897", Height with Lid: 2.181"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Metal Battery with a maximum square battery size of 2.25" L x 2.25" W x 1.25" H. Certified for .4kg (.88 lb.) gross package weight.

INCLUDES: (1) 300ml UN rated poly drum with lid, (1) Class 9 Hazard label tag to be attached to lid, (1) Anti-stat zipper bag, (1) Pre-portioned bag of vermiculite and UN shipping label stating: UN3090, LITHIUM METAL BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM METAL BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING: NONE

CASE QUANTITY: 20



SUPPLY-330LI

650ML DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING

DIMENSIONS: Opening Diameter: 3.811", Container Diameter: 3.897", Height with Lid: 4.11"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Ion Battery with a maximum square battery size of 2.25" L x 2.25" W x 3.1875" H. Certified for .9kg (1.98 lbs.) gross package weight.

INCLUDES: (1) 650ml UN rated poly drum with lid, (1) Class 9 Hazard label tag to be attached to lid, (1) Anti-stat zipper bag, (1) Pre-portioned bag of vermiculite and (1) UN shipping label stating: UN3480, LITHIUM ION BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM ION BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 12



SUPPLY-331LI

1300ML DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING

DIMENSIONS: Opening Diameter: 3.811", Container Diameter: 3.897", Height with Lid: 7.77"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Ion Battery with a maximum square battery size of 2.25" L x 2.25" W x 6.8125" H. Certified for 1.8kg (3.97 lbs.) gross package weight.

INCLUDES: (1) 1300ml UN rated poly drum with lid, (1) Class 9 Hazard label to be attached to drum, (1) Anti-stat zipper bag, (1) Pre-portioned bag of vermiculite and (1) UN shipping label stating: UN3480, LITHIUM ION BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM ION BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 8



SUPPLY-330LM

650ML DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING

DIMENSIONS: Opening Diameter: 3.811", Container Diameter: 3.897", Height with Lid: 4.11"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Metal Battery with a maximum square battery size of 2.25" L x 2.25" W x 3.1875" H. Certified for .9kg (1.98 lbs.) gross package weight.

INCLUDES: (1) 650ml UN rated poly drum with lid, (1) Class 9 Hazard label tag to be attached to lid, (1) Anti-stat zipper bag, (1) Pre-portioned bag of vermiculite and UN shipping label stating: UN3090, LITHIUM METAL BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM METAL BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 12



SUPPLY-331LM

1300ML DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING

DIMENSIONS: Opening Diameter: 3.811", Container Diameter: 3.897", Height with Lid: 7.77"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Metal Battery with a maximum square battery size of 2.25" L x 2.25" W x 6.8125" H. Certified for 1.8kg (3.97 lbs.) gross package weight.

INCLUDES: (1) 1300ml UN rated poly drum with lid, (1) Class 9 Hazard label to be attached to drum, (1) Anti-stat zipper bag, (1) Pre-portioned bag of vermiculite and (1) UN shipping label stating: UN3480, LITHIUM ION BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM ION BATTERY - UN shipping label stating: UN3090, LITHIUM METAL BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM METAL BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 8



SUPPLY-332LI

2500ML DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING

DIMENSIONS: Opening Diameter: 4.56", Container Diameter: 4.68", Height with Lid: 10.47"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Ion Battery with a maximum square battery size of 2.75" L x 2.75" W x 8.9375" H. Certified for 3.3kg (7.28 lbs.) gross package weight.

INCLUDES: (1) 2500ml UN rated poly drum with lid, (1) Class 9 Hazard label to be attached to drum, (1) Anti-stat zipper bag, (1) Pre-portioned bag of vermiculite and (1) UN shipping label stating: UN3480, LITHIUM ION BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM ION BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING: NONE

CASE QUANTITY: 4



SUPPLY-333LI

5 GAL DAMAGED OR DEFECTIVE LITHIUM ION BATTERY PACKAGING

DIMENSIONS: Top Diameter: 11.25", Bottom Diameter: 10.125", Height with Lid: 16.04"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Ion Battery with a maximum square battery size of 6.625" L x 6.625" W x 12.75" H. Certified for 11.5kg (25.35 lbs.) gross package weight.

INCLUDES: (1) 5 gal UN rated poly pail with locking lid, (1) Class 9 Hazard label to be attached to pail, (1) Anti-stat bag, (1) Pre-portioned bag of vermiculite and (1) UN shipping label stating: UN3480, LITHIUM ION BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM ION BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING: 1H2/X11,5/S/--

CASE QUANTITY: 1



SUPPLY-332LM

2500ML DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING

DIMENSIONS: Opening Diameter: 4.56", Container Diameter: 4.68", Height with Lid: 10.47"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Metal Battery with a maximum square battery size of 2.75" L x 2.75" W x 8.9375" H. Certified for 3.3kg (7.28 lbs.) gross package weight.

INCLUDES: (1) 2500ml UN rated poly drum with lid, (1) Class 9 Hazard label to be attached to drum, (1) Anti-stat zipper bag, (1) Pre-portioned bag of vermiculite and (1) UN shipping label stating: UN3090, LITHIUM METAL BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM METAL BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING: NONE

CASE QUANTITY: 4



SUPPLY-333LM

5 GAL DAMAGED OR DEFECTIVE LITHIUM METAL BATTERY PACKAGING

DIMENSIONS: Top Diameter: 11.25", Bottom Diameter: 10.125", Height with Lid: 16.04"

CAPACITY: Holds (1) one Damaged, Defective or Recalled Lithium Metal Battery with a maximum square battery size of 6.625" L x 6.625" W x 12.75" H. Certified for 11.5kg (25.35 lbs.) gross package weight.

INCLUDES: (1) 5 gal UN rated poly pail with locking lid, (1) Class 9 Hazard label to be attached to pail, (1) Anti-stat bag, (1) Pre-portioned bag of vermiculite and (1) UN shipping label stating: UN3090, LITHIUM METAL BATTERY - PACKAGE CONTAINS A DAMAGED/ DEFECTIVE LITHIUM METAL BATTERY

NOTES: No disposal or return shipping included.

RESTRICTIONS: Not for export.

UN RATING: 1H2/X11,5/S/--

CASE QUANTITY: 1



SUPPLY-151

RECYCLEABULB SIDE LOAD BAGS ON A ROLL (250 QTY)

DIMENSIONS: Roll Dimensions: 12"x6"; Individual Bags: 9.25"x11.5"

CAPACITY: Each bag holds approximately 1-3 small to medium CFLs.

INCLUDES: Roll of 250 individual poly bags with adhesive closure.

NOTES: Limited custom labeling available. Labeled with recycleabulb.com program information. Call for customized designs.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-157

RECYCLEABULB 18X24 POSTER

DIMENSIONS: 18"x24"

CAPACITY: None

INCLUDES: Glossy 2 color poster.

NOTES: Limited custom labeling available. Designed with recycleabulb.com program information. Call for customized designs.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-156

RECYCLEABULB DISPLAY BOX

DIMENSIONS: 14"x11"x12"

CAPACITY: Holds one roll of recycleabulb.com side load bags on a roll.

INCLUDES: Corrugate display box.

NOTES: Limited custom labeling available. Labeled with recycleabulb.com program information. Call for customized designs.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-159

RECYCLEABULB 5X7 STICKER

DIMENSIONS: 5"x7"

CAPACITY: None


INCLUDES: Glossy 2 color window cling sticker.

NOTES: Labeled with recycleabulb.com program information. Call for customized designs.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-160

RECYCLEABULB COUNTER MAT

DIMENSIONS: Outer Dimensions: 15"x21"; Picture Dimensions: 11"x17"

CAPACITY: None

INCLUDES: 2 color poster inside counter mat.

NOTES: Limited custom labeling available. Designed with recycleabulb.com program information. Call for customized designs.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-169

RECYCLEPAK 18X24 POSTER

DIMENSIONS: 18"x24"

CAPACITY: None

INCLUDES: Glossy full color poster.

NOTES: Limited custom labeling available. Call for customized designs.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-161

RECYCLEABULB COUNTER CARD

DIMENSIONS: 8.5"x11"

CAPACITY: None

INCLUDES: Card stock 2 color counter card.

NOTES: Limited custom labeling available. Designed with recycleabulb.com program information. Call for customized designs.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1



SUPPLY-170

RECYCLEPAK 8.5X11 COUNTER CARD

DIMENSIONS: 8.5"x11"

CAPACITY: None

INCLUDES: Card stock 4 color counter card.

NOTES: Limited custom labeling available. Call for customized designs.

RESTRICTIONS: Not for export.

UN RATING¹: NONE

CASE QUANTITY: 1

Resourcing the world


Call, Fax, Click or Email to Order

tel: +1 888 669 9725

fax: +1 920 757 5485

pak.ts@veolia.com

www.prepaidrecycling.com



Pak Distribution Center

W6490B Specialty Drive • Greenville, WI 54942

tel: +1 888 669 9725

pak.ts@veolia.com

Mon-Fri 8 a.m. to 5 p.m. CST

Veolia North America

4760 World Houston Parkway, Suite 100 • Houston, TX 77032

tel: +1 713 672 8004

twitter: @veolia_na

www.veolianothamerica.com